

Sticklers™ Fiber Optic Splice & Connector Cleaner

Cleaning Fluid

Product Features:



- Fast evaporating, no residue optical grade cleaning fluid for cleaning fiber
- Not regulated for transport by land, sea, or air
- Nonflammable, nontoxic
- Over 650 metered dispenses per can
- Dissipates electrostatic charges
- REACH and GHS compliant



Typical Cleaning Applications:

- | | |
|--|--|
| • Pigtailed and bare fibers for fusion splicing | • Ribbon fibers for mass fusion splicing |
| • Splicing plastic optical fibers and connectors | • Ceramic and composite ferrules |
| • Suitable cleaning fluid for tool kits | • Most glass and plastic photonic lenses |

Packaging:

| Packaging: | | |
|--------------------|---|--|
| Part Number | MCC-POC03M | MCC-POC10M |
| NSN # | 6850-01-592-9391 | |
| Can Specifications | 120 g (4.23 oz) total can weight 85 g (3 oz) NET fluid weight 39 mm OD x 130 mm H 1.54" OD x 5.12" H | 374 g total can weight 284 g (10 oz) NET fluid weight 66 mm OD x 172 mm H 2.6" OD x 6.75" H |
| Case Dimensions | 203 mm L x 152 mm W x 152 mm H 8" L x 6" W x 6" H | 305 mm L x 229 mm W x 178 mm H 12" L x 9" W x 7" H |
| Case Quantity | 12 Cans/Case | 12 Cans/Case |
| GHS/HCS Pictogram | Not Applicable | Not Applicable |
| Recycle Symbol* |  |  |

*Per: 94/62/EC and 97/129/EC

Sticklers™ Fiber Optic Splice & Connector Cleaner Conforms to the Following Fiber Optic Industry Standards:

| Industry Standards | Section | Description |
|-------------------------------|---------|---|
| ANSI/TIA 455-240 2009 | | Fiber Optic Connector End-Face Cleaning Evaluation |
| ANSI/TIA 568.3D-2016 | E.3.5 | Connector End-Face Cleaning |
| ARINC 805-4 | | Fiber Optic Test Procedures |
| ARINC 806-5 | | Fiber Optic Installation & Maintenance |
| AT&T ATT-TP-76461 | | Inspecting & Cleaning End-Faces |
| Cisco Systems Doc: 51837 | | Inspecting & Cleaning Procedures for Fiber Connectors |
| IBM SY27-2597-15 | | Cleaning End-Faces for Maintaining Fiber Links |
| IEC 61300-3-35 | 5.3 | End-Face Cleaning |
| IEC 61627-1 | 7.8 | Acceptable Wet-Dry End-Face Cleaning |
| IEC 62627-1 | 9.3 | Procedure Wet-Dry Cleaning w/ Reel Type Cleaners |
| IEC 61627-1 | 9.4 | Procedure Wet-Dry Cleaning w/ Sticks & Clickers |
| IPC 8497-1 | 7.3.6 | Cleaning Fluids & West Swabs & Face Cleaning |
| IPC 8497-1 | 10 | Minimizing Electrostatic Charge Effect |
| NASA-STD 8739.5A | 8 | Cleaning Workmanship Standards |
| SAE AIR6031 | | End-Face Cleaning |
| SAE ARP 6283 | 8.6 | Approved Cleaning Solvents |
| SAE ARP 6283 | 9.1.1 | Wet-Dry Cassette Cleaning |
| Telcordia GR2923 CORE Issue 2 | | End-Face Cleaning |
| Telcordia GR765-CORE | 4.6 | Fusion Splicing Materials & Consumables Criteria |
| Verizon VZ.TRP.9461 | 5.0 | End-Face Cleaning |



telecroatian network
www.telecron.hr

www.SticklersCleaners.com

When you need perfectly clean splices & connectors™

MicroCare Corporation

595 John Downey Drive
New Britain, CT 06051 USA
CAGE: OATV9
Tel: +1 860 827 0626
Toll Free: 1 800 638 0125
Email: TechSupport@MicroCare.com

MicroCare Europe BVBA

Vekestraat 29 B11
Industriezone 't Sas
1910 Kampenhout, Belgium
Tel: +32 2 251 95 05
Email: EuroSales@MicroCare.com

MicroCare U.K. Ltd

Seven Hills Business Park,
Morley,
Leeds, West Yorkshire, UK
LS27 8AT
Tel: +44 (0) 113 3501008
Email: mcceurope@microcare.com

MicroCare Asia Pte Ltd

102E Pasir Panjang Road
#03-01 Citilink Warehouse Complex
Singapore 118529
Tel: +65 6271 0182
Email: TechSupport@MicroCare.sg