

MS-326 - Mid Span Slit & Ring Tool (5mm-10mm) - Data Sheet

The **patented** MS-326 micro duct fiber cable slit and ring tool is designed to provide easy access into fiber optic cables specifically designed for use in micro ducts. These cables have a thin wall jacket design that is difficult to open without causing damage to the buffer tubes inside, but the MS-326 addresses that concern. The MS-326 will also slit open thin wall buffer tubes.

Building on the popularity of Jonard Tools' MS-6 and MS-26 fiber optic mid span slitting tools we've incorporated a ring feature into the MS-326 making it even more versatile.


The MS-326 consists of 5 precision slitting grooves and 5 ring grooves ranging in size from 5mm to 10mm.

Groove Sizes:

5.0 - 5.6mm | 6.0 - 6.6mm | 7.2 - 7.8mm | 7.8 - 8.4mm | 9.4 - 10mm

Tool designed for below Corning cables and other similar styles:

- Fiber MiniXtend Fast Access Binderless cables
- Fiber HD MiniXtend cables


MS-326
MSB-5010

SPECIFICATIONS	MS-326	MSB-5010
Cut Type	Slit and Ring	Slit and Ring
Cable Type	Microduct Cable	Microduct Cable
Cable Diameter	5.0-10.0mm	5.0-10.0mm
Features	10 Precision grooves (5 ring, 5 slit)	5 Precision grooves
Weight	0.24lbs (108.9 grams)	0.07lbs (31.75 grams)
Dimensions	2.87"(73mm)x1.5"(38mm)x2.1"(53.5mm)	