



A RIPLEY® BRAND

NEW

# MXA

## MiniXtend® Cable Jacket Stripper

Introducing an innovative cable stripper with precise blade depths designed to accurately and efficiently remove rugged cable jackets from MiniXtend® FastAccess® fiber cables on both mid-span and end cable stripping operations.

### Features

- Shielded blades promote safe operation and prevent injuries
- Compatible with 0.21" to 0.375" (5.3 mm to 9.5mm) diameter Corning MiniXtend® Fiber Cables with Binderless FastAccess® technology and other similar cables
- Efficiently performs square and longitudinal cuts on cable mid-span or end — no blade adjustment necessary
- Precision factory-set, non-adjustable ripping & ringing blades are compatible with the entire cable series



### Additional Information

MODEL	PART #	DESCRIPTION	CABLE COMPATIBILITY	CABLE SIZE
MXA	81605	MXA MiniXtend® Cable Jacket Stripper	Corning MiniXtend® with Binderless FastAccess® Technology	0.21" - 0.375" (5.3 mm - 9.5 mm)
	81611	Replacement Blade & Hardware Kit for MXA		



Factory-set, non-adjustable ringing blade accurately slices through the jacket depth without fiber damage.



Precision ripping blade performs longitudinal cuts by slitting along the ridge of the cable jacket.



Factory-set, non-adjustable ripping blade "pops" the jacket open to easily peel back & expose the fibers.



Handle conveniently stows tweezers, extra blades, screws & hex key for easy blade replacement.

MiniXtend and Fast Access are registered trademarks of Corning Incorporated, Corning, NY USA

For more information or to locate the nearest authorized Ripley® distributor, please visit [www.ripley-tools.com](http://www.ripley-tools.com) or call 1 (800) 528-8665 to speak to a customer service representative.





A RIPLEY® BRAND

# Make Cable Preparation Easier

## With Additional Ripley® Products



### CFS-3

#### 3-Hole Fiber Optic Wire Stripper

- Three hole design efficiently removes 1.6 mm to 3 mm fiber jackets & buffers down to the 125 micron bare fiber
- Manufactured to precise tolerances to ensure clean, smooth strips every time
- Compliant & comfortable thermoplastic elastomer handle grips

MODEL	PART #	WIRE SIZE Ø
CFS-3	81300	1.6 to 3 mm



### KS-1

#### Fiber Optic Kevlar® Shears

- Ideal for cutting Kevlar® strength fibers in fiber optic cable
- Lightweight & ergonomic design
- Micro-serrated blade reduces slippage for precise cuts

MODEL	PART #	ITEM DESCRIPTION
KS-1	80671	Fiber Optic Kevlar® Shears
KS-1	80665	Fiber Optic Kevlar® Shears & Nylon Carrying Pouch



### FTS Series

#### Fiber Tube Scorers

- Precise, one-step buffer tube scorer
- Fixed, hardened carbon steel blade requires no adjustments
- FTS body comprised of strong & resilient acetal polymer

MODEL	PART #	TUBE SIZE	WALL THICK.
FTS-005 (Red)	80990	Up to 0.079" Up to 2 mm	0.005" to 0.010" 0.13 to 0.25 mm
FTS (Yellow)	80980	0.062" to 0.236" 1.6 to 6.0 mm	0.010" to 0.020" 0.25 to 0.50 mm
FTS-035 (Blue)	80985	0.062" to 0.236" 1.6 to 6.0 mm	0.039" to 0.051" 1.0 to 1.3 mm



### RCS-114 & RCS-158

#### Round Cable Strippers

- Designed for fast, safe & precise removal of PE, PVC, rubber & other jacket materials
- Spring-loaded cable brace firmly secures cable against the blade for controlled cutting action
- Durable blade performs rotary & spiral type cuts

MODEL	PART #	CABLE SIZE Ø
RCS-114	37140	0.178" to 1.14" 4.5 to 29.0 mm
RCS-158	37145	0.75" to 1.58" 19.0 to 40.0 mm
CB231	37150	Replacement Blade



telecroatian network  
www.telecron.net

LIT-ML-0005 REV. 00



RIPLEY TOOLS, LLC. • 46 NOOKS HILL ROAD • CROMWELL, CT 06416 USA

P: +1 (800) 528-8665 F: (860) 635-3631 W: WWW.RIPLEY-TOOLS.COM